



**EC TYPE EXAMINATION (MODULE B)
CERTIFICATE No. MED249019WS**

***This is to certify** that RINA Services S.p.A. (Notified Body No. 0474) did undertake the relevant type approval procedures for the equipment identified below, which was found to be in compliance with the Life-Saving appliances requirements of Marine Equipment Directive (MED) 2014/90/EU, including the requirements and testing standards of Regulation (EU) 2019/1397.*

<i>MED Item N°</i>	MED/1.2c
<i>USCG Category N°</i>	161.112
<i>Description</i>	Position-indicating lights for life-saving appliances: (c) for lifejackets
<i>Type</i>	LNK-LJ-03A1 / LNK-LJ-03A1W
<i>Applicant</i>	XIAMEN LONAKO INDUSTRY & TRADE CO., LTD N 307 WEIYE BUILDING, CHINA PIONEERING PARK FOR CHINESE OVERSEAS SCHOLARS XIAMEN CHINA
<i>Testing standards</i>	IMO Res. MSC.81 (70), as amended, IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).
<i>Reference standards</i>	SOLAS 74 Reg.III/7, SOLAS 74 Reg.III/22, SOLAS 74 Reg.III/26, SOLAS 74 Reg.III/32, SOLAS 74 Reg.III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8, IMO Res.MSC.48(66)-(LSA Code) I, IMO Res.MSC.48(66)-(LSA Code) II, IMO Res.MSC.97(73)-(2000 HSC Code) 8.

Issued in SHANGHAI on
March 12, 2020

This Certificate is valid until
March 11, 2025

This Certificate consists of this sheet plus an attachment



Qiang Sun
Qiang Sun

RINA Services S.p.A.





ATTACHMENT TO
CERTIFICATE No. MED249019WS
Page 1 of 3

Manufacturer

XIAMEN LONAKO INDUSTRY & TRADE CO., LTD

Place of Manufacturer

N 307 WEIYE BUILDING
CHINA PIONEERING PARK FOR CHINESE OVERSEAS SCHOLARS
XIAMEN
CHINA

Name & place of Authorised Representative

Mr. Johannes Graf Strachwitz
Walhallastraße 38, 80639 München, Germany
GERMANY

Product description

Model of light: LNK-LJ-03A1 - flashing light automatically activated by water sensor and with on/off manual switch.

LNK-LJ-03A1W - flashing/steady/SOS light automatically activated by water sensor and with on/off manual switch.

The above light is manufactured with following characteristics:

- Dimensions of body: 62 x 28 x 31.5 mm,
buckle: 61.2 x 9.5 x 11.7 mm;
- Color of dome: semi-transparent;
- Material: PC;
- Total weight: 30g(including buckle);
- Flash rate: about 50~70 flashes per minute;
- Luminous Intensity: $\geq 0.75\text{cd}$;
- Operation Life: $\geq 8\text{h}$ over 0.75cd ;
- Environmental Temperature: $-30^{\circ}\text{C} \sim +65^{\circ}\text{C}$;
- Working Temperature: $-1^{\circ}\text{C} \sim +30^{\circ}\text{C}$;
- Battery: 1 x 3.0 Volt, ≥ 750 mAh, model CR2 lithium;
- Bulb: white chip LED;
- Performance: Fire-resistant, Oil-resistant, Mould-proof, Corrosion-proof, Water-proof;
- The light is supplied with a clamp for fastening to the lifejacket.



Smiling





**ATTACHMENT TO
CERTIFICATE No. MED249019WS**

Page 2 of 3

Tests carried out

Inspection Report (Ref.: No.2010YW035) issued by The National Supervision and Testing Center of Fishery Machinery and Instrument and filed by RINA with No.: SHFP-14649;

Inspection Report (Ref.: No.2010YW034) issued by The National Supervision and Testing Center of Fishery Machinery and Instrument and filed by RINA with No.: SHFP-14651;

EMC Test Report (Ref.: No.2019EC-WJ0141) edited by Xiamen Products Quality Supervision & Inspection Institute according to Chapter 9.3, 10.4 and 10.9 of IEC 60945:2002 incl. IEC 60945 Corr.1 (2008) and filed by RINA with No.: SHFP-14652;

PC Mould Growth Test Report (Ref.: No.20092277) issued by Center of Analysis & Measurement of Shanghai Institute of Industrial Microbiology filed by RINA with No.: SHFP-14655;

Evaluation and Test Report (Ref.: No.201903A1M) edit by XIAMEN LONAKO INDUSTRY & TRADE CO. LTD according to MSC.81(70) and Chapter 8.3, 8.5, 8.6, 8.9 and 11.2 of IEC 60945:2002 incl. IEC 60945 Corr.1 (2008) and filed by RINA with No.: SHFP-14657.

Evaluation and Test Report edit by RINA Shanghai Office in accordance with IMO Res. MSC.81(70) as amended by Res. MSC.226(82) and filed by RINA with No.: CSST 5816.

Reference documents

Technical drawings and manuals approved and filed by RINA listed on Approval letter No.: SHFP/2020/00110/XZO01 and SHFP/2020/00114/XZO01.

Field of application

Flashing light for lifejackets designed in compliance with IMO Res MSC 207(81).

Remarks

Previous issued MED Module B certificate No.: MED178515WS/003 is annulled and replaced accordingly.



Sam Qiang





ATTACHMENT TO
CERTIFICATE No. MED249019WS

Page 3 of 3

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production control phase module (D, E or F) of Annex II of the Directive is fully complied with a written inspection agreement with a Notified Body



XXXX/YYYY

"WHEELMARK FORMAT"

XXXX Notified Body number undertaking surveillance module

YYYY The year in which the mark is affixed

USCG Approval

This product has been assigned a U.S. Coast Guard module B number (*USCG number: 161.112/EC0474*) to note type approval to Module B only as it pertains to obtaining U.S. Coast Guard approval as allowed by the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment" as amended by Decision N. 1/2018 signed on 18th February 2019.

The manufacturer is allowed to affix the U.S. Coast Guard approval number to the above equipment subject to the authorization of the Notified Body undertaking the surveillance module.

General conditions for the approval

- The initial conditions verified by RINA at the time of the approval are to be maintained
- Any changes to the initial conditions are to be promptly communicated to RINA, which reserves the right to repeat the relevant assessment
- This certificate will no be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with RINA
- RINA personnel are to be allowed to witness during the performances of activities, upon their request
- The activities are to be carried out in compliance with the RINA Rules and/or other applicable Rules
- Should the specified regulations or standards be amended during the validity of this certificate, the product is to be reapproved prior to it being placed on board vessels to which the amended regulations or standards apply.



Qiang Sun
Qiang Sun

